


TECHNICAL DESCRIPTION

Calado




NowyStyl


Technical description

NowyStyl


1. Dimensions / Weight




CALADO 4L




CALADO CFS




CALADO 4L-ARM




CALADO 4L-ARM / FRONT



CALADO HOCKER



CALADO TABLE



CALADO CART



UNIVERSAL ROW CONNECTOR W

Model	Dimensions (mm)												Weight (kg)
	A	A1	B	C	D	E	F	G	H	K	V	L	
CALADO 4L	455	420	420	460	430	830	440	380	—	500	500	535	5,2
CALADO CFS	490	455	420	420	430	845	440	355	—	540	540	535	6,3
CALADO 4L ARM	480	450	420	460	430	830	440	355	670	490	615	530	7
CALADO 4L ARM FRONT	480	450	420	460	430	830	440	355	670	490	580	530	6,6
CALADO HOCKER	775	750	420	450	440	1150	440	355	—	460	475	555	7,8
CALADO CART	—	—	—	—	—	405	—	—	—	664	645	645	7,5

A – Seat height

A1 – Seat height according to standard
EN 16139

B – Seat depth

C – Seat surface depth

D – Seat width

E – Overall height

F – Backrest width

G – Backrest length

H – Armrests height

K – Base width

V – Overall width

L – Overall depth

2. Materials/Versions

2.1. Frame

2.1.1. Frame

Sled frame – made of steel rod Ø 11 mm.

4-leg frame – made of steel tube Ø 18 mm and steel rod Ø 11 mm.

Hocker – made of steel tube Ø 18 mm and steel rod Ø 11 mm.

Finish options:

- chromium plated (CR).

Stacking:

- 4-leg chair up to 8 pieces, 12 pieces on a stacking cart,
- 4-leg chair with open or closed armrests up to 6 pieces, 10 pieces on a stacking cart,
- Sled frame chair up to 10 pieces, 21 pieces on a stacking cart,
- Hocker – max 6 pcs.

2.1.2. Click/Link

GTL – glides for connecting chairs into rows dedicated to sled frame (CFS).

LINK-PLASTIC 18 REG – dedicated to connect Calado 4-leg with or without arms into rows. The link is made of black polypropylene (PP). 2 pcs are needed to connect 2 chairs.

UNIVERSAL ROW CONNECTOR

- dedicated to connect rows of chairs,
- distance adjustment: 470–530 mm,
- possibility of mounting to the floor,
- powder-coated in Jet Black RAL 9005 (BL) colour.

2.2. Glides

Glides for soft floors (GB), as standard. Black colour for 4-leg chair, transparent for sled frame. Row linking glides (GTL) as an option.

2.3. Seat and backrest

Seat

Plastic seat – seat shell and cover made of polypropylene (PP).

Plastic seat with upholstered seat pad (SEAT-PLUS) – structure made of polypropylene (PP) seat covered with foam thickness 20 mm, density 25 kg/m³.

Backrest

Structure made of glass fiber reinforced polypropylene with openwork structure.

2.4. Armrests

Fixed armrests – integrated with chair frame, armrest pads made of polypropylene (PP) in the same finish as seat and backrest.

4L-ARM / FRONT model – chair can be hung on the table top.

2.5. Writing tablet

Writing tablet (right and left hand version) made of black ABS plastic, dedicated to Calado 4L-ARM model only, as an option. Writing tablet cannot be retrofitted. Calado chairs with writing tablets cannot be stacked.

3. Accessories

CALADO CART – for transporting stacked chairs, cart metal frame chromium plated, 4 wheels with a brake.

4. Packaging

4 pieces per box (assembled).